

Prologue

Design DNA


Example Layouts

Product Vision

Amtrak® Long Distance CX Vision

Example Layouts

STANDARD COACH



STANDARD COACH

60 High Capacity Coach Seats @ 42" pitch


1 Mobility Position

1 Accessible Restroom

1 Standard Restroom

Loading doors at one end

PREMIUM ACCESSIBLE COACH



PREMIUM ACCESSIBLE COACH

33 High Capacity Coach Seats @ 48" pitch

3 Mobility Position


1 Accessible Restroom

1 Standard Restroom

Loading doors at one end

HIGH CAPACITY COACH

*OPTION



HIGH CAPACITY COACH COACH

66 High Capacity Coach Seats @ 37" pitch


1 Mobility Position

1 Accessible Restroom

1 Standard Restroom

Loading doors at each end

CAFÉ



CAFÉ


36 Café Seats

2 Mobility Position

1 Conductors Office

Loading doors at one end

DINER




DINER

18 Diner Seats

1 Mobility Position

Central loading doors

DINER / LOUNGE



DINER / LOUNGE

36 Diner Seats

1 Diner Mobility Position


1 Server Station

30 Lounge Seats

2 Lounge Mobility Position

Loading doors at one end


ACCESSIBLE SLEEPER



ACCESSIBLE SLEEPER

- 2** Accessible Bedrooms
 - 4** Standard Bedrooms
 - 1** Crew Bedroom
 - 1** Standard Restroom
 - 1** Communal Shower
- Loading doors at one end

STANDARD SLEEPER



STANDARD SLEEPER

12 Solo Suites

7 Roomettes

1 Crew Bedroom


2 Standard Restroom

1 Communal Shower

Loading doors at one end

UTILITY CAR


*OPTION




UTILITY CAR

- 6** Crew Bedroom
 - 2** Standard Restroom
 - 1** Communal Shower
 - 8** Café Seats
- Loading doors at one end


EXAMPLE CONSIST




STANDARD COACH (42" pitch) - 60 C / 1 MOB




STANDARD COACH (42" pitch) - 60 C / 1 MOB




PREMIUM ACCESSIBLE COACH (48" pitch) - 33 PC / 3 MOB




CAFE - 36 Cafe / 2 MOB




DINER - 18 Diner / 1 MOB




DINER / LOUNGE - 36 Diner / 1 MOB + 30 Lounge / 2 MOB




ACCESSIBLE SLEEPER - 2 ACCESSBR / 4 BR / 1 Crew




ACCESSIBLE SLEEPER - 2 ACCESSBR / 4 BR / 1 Crew



STANDARD SLEEPER - 12 S / 7 R / 1 Crew



STANDARD SLEEPER - 12 S / 7 R / 1 Crew



UTILITY CAR - 6 R (Crew) + 8 seats + Minimum of 1,600 cu ft

 Accessible path in accordance with equivalent facilitation